# **Material Safety Data Sheet**



GREASE EXPRESS FAST FOAM DEGREASER

#### Section 1. Chemical product and company identification

Trade name : GREASE EXPRESS FAST FOAM DEGREASER

Product use : Degreaser

Supplier : Ecolab Inc. Institutional Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-352-5326

Code : 904038-01 Date of issue : 18-May-2006

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

### Section 2. Composition, information on ingredients

<u>Name</u>	CAS number	% by weight
sodium hydroxide	1310-73-2	4
2-(2-butoxyethoxy)ethanol	112-34-5	2
2-aminoethanol	141-43-5	1 - 5
d-glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	1 - 5

# Section 3. Hazards identification

Physical state : Liquid. (Liquid.)
Emergency : DANGER!
overview

CAUSES RESPIRATORY TRACT, EYE AND SKIN BURNS.

LADAELI JE OMALI OMED

HARMFUL IF SWALLOWED.

COMBUSTIBLE LIQUID AND VAPOR.

VAPOR MAY CAUSE FIRE.

Do not ingest. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Keep

away from heat, sparks and flame. Keep container closed. Use only with adequate

ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Corrosive to eyes.

Skin : Corrosive to the skin.

**Inhalation**: Severely irritating to the respiratory system.

**Ingestion**: Harmful if swallowed. Causes burns to mouth, throat and stomach.

See toxicological information (section 11)

#### Section 4. First aid measures

**Eye contact**: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and

continue flushing with plenty of water for at least 15 minutes. Get medical attention

immediately.

**Skin contact**: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes

thoroughly before reuse. Get medical attention immediately.

**Inhalation**: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention immediately.

**Ingestion**: Rinse mouth; then drink one or two large glasses of water. Do not induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

### Section 5. Fire fighting measures

: 67.2222 °C (Closed cup) Flash point

Fire-fighting media and

instructions

: In case of fire, use water spray (fog), foam, dry chemical, or CO<sub>2</sub>.

Dike liquid for later disposal. Combustible liquid and vapor.

for fire-fighters

Special protective equipment: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Page: 2/4

mode.

#### Section 6. Accidental release measures

Personal precautions : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.

Environmental precautions Methods for

cleaning up

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

: If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

## Section 7. Handling and storage

Handling

: Do not ingest. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Keep container closed. Use only with adequate ventilation. Keep away from heat, sparks and flame. To avoid fire, eliminate ignition sources. Wash thoroughly after handling.

Storage

: Keep out of the reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Do not store below 20°C

### Section 8. Exposure controls, personal protection

Engineering controls

: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Provide eyewash and safety shower in area if contact or splash hazard exists.

Personal protection

**Eyes** 

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.

Hands

: Use chemical-resistant, impervious gloves.

Skin

: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Respiratory

: Wear appropriate respirator when ventilation is inadequate and occupational exposure limits

are exceeded.

<u>Name</u>

**Exposure limits** 

sodium hydroxide

OSHA PEL (United States, 8/1997). TWA: 2 mg/m<sup>3</sup> 8 hour(s). Form: All forms ACGIH TLV (United States, 1/2004).

CEIL: 2 ma/m<sup>3</sup>

CEIL: 2 mg/m3 Form: All forms

2-aminoethanol

ACGIH TLV (United States, 1/2005).

STEL: 15 mg/m<sup>3</sup> 15 minute/minutes. Form: All forms STEL: 6 ppm 15 minute/minutes. Form: All forms TWA: 7.5 mg/m<sup>3</sup> 8 hour(s). Form: All forms TWA: 3 ppm 8 hour(s). Form: All forms OSHA PEL (United States, 8/1997). TWA: 6 mg/m<sup>3</sup> 8 hour(s). Form: All forms

TWA: 3 ppm 8 hour(s). Form: All forms

### Section 9. Physical and chemical properties

Physical state : Liquid. (Liquid.)
Color : Red. (Dark.)
Odor : Alcohol-like.
pH : 13.6 (100%)
Specific gravity : 1.049 (Water = 1)
Viscosity : Dynamic: 500 cP

#### Section 10. Stability and reactivity

Stability: The product is stable.Reactivity: Highly reactive with acids.Reactive with metals.

#### Section 11. Toxicological information

#### Potential acute health effects

Eyes : Corrosive to eyes.

Skin : Corrosive to the skin.

**Inhalation**: Severely irritating to the respiratory system.

**Ingestion**: Harmful if swallowed. Causes burns to mouth, throat and stomach.

Chronic effects on

humans

: Contains material which causes damage to the following organs: lungs, upper respiratory

Page: 3/4

tract, skin, central nervous system (CNS), eye, lens or cornea.

#### Section 12. Ecological information

Products of degradation : These products are carbon oxides (CO, CO<sub>2</sub>) and water, nitrogen oxides (NO, NO<sub>2</sub>

etc.). Some metallic oxides.

#### Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of

spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority

requirements.

Waste : Unused product is D002 (Corrosive)

classification

Consult your local or regional authorities.

#### Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
<b>DOT</b> Classification	UN1824	Sodium hydroxide solution	8	II	Limited quantity Yes.  Special provisions B2, IB2, N34, T7, TP2

#### APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

### Section 15. Regulatory information

HCS Classification : Combustible liquid

Corrosive material Target organ effects

U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: No products were

found.

SARA 302/304 emergency planning and notification: No products were found.

**TSCA 8(b) inventory** : All materials are listed or exempt.


SARA 313 Product name Concentration

Form R - Reporting requirements: 2-(2-butoxyethoxy)ethanol

California Prop. 65 : No products were found.

#### **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Date of issue : 18-May-2006.

Responsible name : Regulatory Affairs

Date of previous issue : 18-May-2006.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.