

Material Safety Data Sheet

ECOLAB

DIGICLEAN HEALTHCARE PERSONNEL HANDWASH FOAM

Section 1. Chemical product and company identification

Trade name : DIGICLEAN HEALTHCARE PERSONNEL HANDWASH FOAM
Product use : Skin antiseptic
Supplier : Ecolab Inc. Institutional Division
370 N. Wabasha Street
St. Paul, MN 55102
1-800-352-5326
Code : 933044-05
Date of issue : 26-April-2007

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
Ethanol	64-17-5	5 - 20
glycerin	56-81-5	5 - 20
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	64-02-8	1 - 5

Section 3. Hazards identification

Physical state : Liquid. [Liquid.]
Emergency overview : CAUTION!

COMBUSTIBLE LIQUID AND VAPOR.
MAY CAUSE EYE IRRITATION.
Avoid contact with eyes. Keep away from heat, sparks and flame.

Potential acute health effects

Eyes : Slightly irritating to the eyes.
Skin : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact : Get medical attention if symptoms appear. Wash clothing before reuse.
Inhalation : If inhaled, remove to fresh air.
Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire fighting measures

Flash point : 43.3333 °C (Closed cup)
Fire-fighting media and instructions : In case of fire, use water spray (fog), foam, dry chemical, or CO₂.

Dike liquid for later disposal.
Combustible liquid and vapor. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

Special protective equipment for fire-fighters :

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Eliminate all ignition sources. Keep unnecessary personnel away. Use suitable protective equipment. Do not touch or walk through spilled material.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up** : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

- Handling** : Keep away from heat, sparks and flame. To avoid fire, eliminate ignition sources.
- Storage** : Keep out of the reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).
Do not store above the following temperature: 30°C

Section 8. Exposure controls, personal protection

- Engineering measures** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection :

- Eyes** : No protective equipment is needed under normal use conditions.
- Hands** : No protective equipment is needed under normal use conditions.
- Skin** : No protective equipment is needed under normal use conditions.
- Respiratory** : No protective equipment is needed under normal use conditions.

Name

ethanol

Exposure limits

ACGIH TLV (United States, 1/2006).

TWA: 1880 mg/m³ 8 hour(s).

TWA: 1000 ppm 8 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 1900 mg/m³ 8 hour(s).

TWA: 1000 ppm 8 hour(s).

glycerin

ACGIH TLV (United States, 1/2006).

TWA: 10 mg/m³ 8 hour(s). Form: Mist

OSHA PEL (United States, 11/2006).

TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction

TWA: 15 mg/m³ 8 hour(s). Form: Total dust

octadecanoic acid, potassium salt

ACGIH TLV (United States, 1/2006).

TWA: 10 mg/m³ 8 hour(s).

Section 9. Physical and chemical properties

- Physical state** : Liquid. [Liquid.]
- Color** : Green.
- Odor** : Sweetish.
- pH** : 9.2 to 9.6 [Conc. (% w/w): 100%]
- Specific gravity** : 1 to 1.02

Section 10. Stability and reactivity

Stability : The product is stable.

Section 11. Toxicological information

Potential acute health effects

Eyes : Slightly irritating to the eyes.
Skin : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects on humans : There is no known chronic effect after exposure to this product.

Section 12. Ecological information

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Waste classification : Unused product is D001 (Ignitable)

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	Not regulated.	-	-	-	Not available.

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification : Combustible liquid
U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
TSCA 8(b) inventory : All materials are listed or exempt.
California Prop. 65 : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		2
Physical hazards		0

Date of issue : 26-April-2007.
Responsible name : Regulatory Affairs
Date of previous issue : 31-March-2006.
Notice to reader

Section 16. Other information

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, **NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.**