Material Safety Data Sheet



PHAZER MONOSTAR

Section 1. Chemical product and company identification

Trade name	: PHAZER MONOSTAR
Product use	: Floor care product
Supplier	: Ecolab Inc.
	370 N. Wabasha St.
	St. Paul, MN 55102
	1-800-352-5326
Code	: 903085-01
Date of issue	: 18-April-2007
	EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
ethanol, 2-(2-ethoxyethoxy)-	111-90-0	3
ethanol, 2-butoxy-, phosphate (3:1)	78-51-3	1 - 5
dipropylene glycol methyl ether	34590-94-8	1 - 5
propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol	25265-77-4	1 - 5

Section 3. Hazards identification

Physical state	: Liquid. [Emulsion.]
Emergency overview	: CAUTION!
	Repeated or prolonged contact with irritants may cause dermatitis. MAY CAUSE EYE IRRITATION.
	Avoid contact with eyes. Wash thoroughly after handling.
Potential acute healt	n effects
Eyes	: Slightly irritating to the eyes.
Skin	: Slightly irritating to the skin.
Inhalation	: No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

See toxicological information (section 11)

Section 4. First aid measures

Eye contact	: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	: Flush contaminated skin with plenty of water. Wash clothing before reuse.
Inhalation	: If inhaled, remove to fresh air.
Ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

Section 5. Fire fighting measures

Flash point Fire-fighting media and instructions	 > 100°C Use an extinguishing agent suitable for the surrounding fire.
Special protective equipment for fire-fighters	 Dike liquid for later disposal. No specific hazard. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Storage

Section 6. Accidental release measures

Personal precautions	: Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
Environmental precautions	 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

Handling : Wash thoroughly after handling.

: Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, wellventilated area.

Store between the following temperatures: 10 and 50°C

Section 8. Exposure controls, personal protection

: Good general ventilation should be sufficient to control worker exposure to airborne **Engineering measures** contaminants. **Personal protection :** Eyes : No protective equipment is needed under normal use conditions. Hands : No protective equipment is needed under normal use conditions. : No protective equipment is needed under normal use conditions. Skin : A respirator is not needed under normal and intended conditions of product use. Respiratory Name **Exposure limits** dipropylene glycol methyl ether ACGIH TLV (United States, 1/2006). Skin STEL: 909 mg/m³ 15 minute(s). STEL: 150 ppm 15 minute(s). TWA: 606 mg/m³ 8 hour(s). TWA: 100 ppm 8 hour(s). OSHA PEL (United States, 11/2006). Skin TWA: 600 mg/m³ 8 hour(s). TWA: 100 ppm 8 hour(s).

Section 9. Physical and chemical properties

Physical state	: Liquid. [Emulsion.]
Color	: opaque
Odor	: Acrylic. [Slight]
рН	: 7.8 to 9 [Conc. (% w/w): 100%]
Specific gravity	: 1.03 to 1.05
Solubility	: Easily soluble in cold water, hot water.

Section 10. Stability and reactivity

Stability	: The product is stable.
Reactivity	: Slightly reactive to reactive with oxidizing agents.

Page: 3/4

Section 11. Toxicological information

Potential acute health effects

Eyes	: Slightly irritating to the eyes.
Skin	: Slightly irritating to the skin.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Potential chronic heal	th effects
Chronic effects on	: Contains material which causes damage to the following
humans	central nervous system (CNS), eye, lens or cornea.

g organs: upper respiratory tract, entral nervous system (CNS), eye, lens or cornea.

Section 12. Ecological information

Section 13. Disposal considerations

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of Waste disposal spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	Not regulated.	-	-	-	Not available.

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification	: Target organ effects		
U.S. Federal regulations	found.		
	SARA 302/304 emergency planning and not	ification: No products were found.	
TSCA 8(b) inventory	: All materials are listed or exempt.		
<u>SARA 313</u>	Product name	<u>Concentration</u>	
Form R - Reporting requirement	: ethanol, 2-(2-ethoxyethoxy)-	2.5245	
California Prop. 65	: No products were found.		

Section 16. Other information

Notice to reader

Hazardous Material Information System (U.S.A.)	:	Health *	1
		Flammability	0
		Physical hazards	0
Date of issue	:	18-April-2007.	
Responsible name	:	Regulatory Affairs	
Date of previous issue	:	No previous validation.	

Section 16. Other information

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.