
ASEPTI-WIPE II

CLASSIFICATION:

- Germicidal Disposable Cloth

SCOPE:

- **Asepti-Wipe II** is quaternary/alcohol solution impregnated in a non woven disposable cloth designed for use in hospitals and other critical care areas where control of the hazards of cross-contamination between treated surfaces is required.
- **Asepti-Wipe II** is designed for use on hard non-porous surfaces and equipment listed on this label made of stainless steel, plastic, Formica® and glass. Some organisms are removed from the surface by thoroughly wiping the surface with the wipe. Most remaining organisms are killed within five (5) minutes by exposure to the liquid in the wipe.
- **Asepti-Wipe II** is not a baby wipe or for use on skin.

FEATURES AND BENEFITS:

Feature	Benefit
Dual quaternary / alcohol formula	Exhibits effective bactericidal (MRSA and VRE) and virucidal (HIV-1, TB, HBV and HCV) activity on hard, non-porous surfaces.
Extra-large ready-to-use wipes	Disinfectant, applicator and storage all in one convenient package.
Colorless, virtually odorless formula	Provides a more comfortable work/treatment area.

AREAS OF USE:

Hospital and Healthcare Settings: Ambulances, Anesthesia, CAT Labs, CCU, Central Supply, Clinics, Dental Offices, Dialysis Clinics, Doctors Offices, Emergency Rooms, E.R., Healthcare Settings, Home Health Care, Hospices, Hospitals, ICU, Laboratory, Laundry rooms, Neonatal Intensive Care Units, (NICU), Newborn Nursery, Nursing homes, Operating Rooms, Pediatrics, Pediatric Intensive Care Units (PICU), Physical Therapy, Physician's Offices, Radiology, Recovery Rooms, Rehabilitation, Respiratory Therapy, Surgery, Transport Vehicles and X-Ray.

Hospital, Healthcare, and Critical Care Use Sites: May be used on hard non-porous surfaces of: bed railings; cabinets, carts, chairs; counters, exam tables; gurneys; isolettes, IV poles; stethoscopes; stretchers; tables; telephones; toilet seats; and hard non-porous outside surfaces of: apheresis machines, diagnostic equipment, dialysis machines; patient monitoring equipment, patient support and delivery equipment, toilets; and ultrasound transducers and probes.

Grocery Stores or Shopping Centers or Delicatessens: Disinfects grocery cart handles and grocery cart child seats. Disinfects shopping cart handles and child seats. Cleans grocery carts or shopping carts.

Nursery or Daycare Centers: Changing tables, cribs, diaper pails, trash cans, toys and other hard, non-porous surfaces listed on the label.

Bathroom: Bathtubs, bathroom fixtures, shower stalls, sinks, tiles, toilet seats and vanity tops, and other hard non-porous surfaces listed on the label.

AREAS OF USE Con't.:

Health Club Facilities: Gym equipment and other hard non-porous surfaces listed on the label.

Schools: Cabinets, chairs, computers, counters, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trash cans, and other hard non-porous surfaces listed on the label

DIRECTIONS FOR USE:

KILLS HIV-1 (AIDS VIRUS), HEPATITIS B VIRUS (HBV) AND HEPATITIS C VIRUS (HCV) ON THE PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS AND PRE-CLEANED EXTERNAL SURFACES OF ULTRASOUND TRANSDUCERS AND PROBES PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in two (2) minutes at room temperature (68° – 77° F) or (20° – 25° C) in healthcare or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISPENSER DIRECTIONS:

To start feed: Remove lid and discard inner seal from canister. Find center of wipe roll, remove first wipe for use, twist corner of next wipe into a point and thread through the hole in the canister lid. Pull through about one inch. Replace lid. Dispense remaining wipes as necessary by pulling out at an angle. When not in use keep center cap of lid closed to prevent moisture loss.

TO DISINFECT: NON FOOD CONTACT SURFACES ONLY:

Use a wipe to remove heavy soil. Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full five (5) minutes. Use additional wipe(s) if needed to assure continuous 5 minute wet contact time. Let air dry.

ULTRASOUND TRANSDUCERS AND PROBES:

For use on external surfaces of ultrasound transducers and probes only.

To disinfect: Pre-clean gel from external surface of ultrasound transducer or probe to be disinfected by using a clean washcloth. Then thoroughly wet the probe with a wipe. Treated surface must remain visibly wet for a full five (5) minutes. Use additional wipe(s) if needed to assure continuous 5 minute wet contact time. Let air dry.

SPECIAL INSTRUCTIONS FOR CLEANING & DECONTAMINATION AGAINST HIV-1, HEPATITIS B VIRUS (HBV) AND HEPATITIS C VIRUS (HCV) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

PERSONAL PROTECTION: When using this product, wear disposable protective gloves, protective gowns, face masks, or eye coverings as appropriate when handling HIV-1 (AIDS Virus), HBV or HCV infected blood or body fluids.

CLEANING PROCEDURE: All blood and other body fluids must be thoroughly cleaned from surfaces and objects before disinfection by the germicidal cloth. Open; unfold first germicidal cloth to remove heavy soil.

DISPOSAL OF INFECTIOUS MATERIALS: Dispose of used towelette in accordance with local regulations for infectious waste disposal.

CONTACT TIME: Use second germicidal cloth to thoroughly wet surface. Allow to remain wet two (2) minutes, let air dry. Although efficacy at a two (2) minute contact time has been shown to be adequate against HIV-1, HBV and HCV this time is not sufficient for the other organisms listed on this label. Therefore, a five (5) minute wet contact time must be used for other listed organisms.

To Clean: Wipe surfaces and let air dry.

CHEMICAL PROPERTIES:

- | | | |
|----------------------|--|---------|
| • Active Ingredients | n-Alkyl (68% C ₁₂ , 32% C ₁₄) | |
| | Dimethyl Ethylbenzyl Ammonium Chlorides | 0.125% |
| | n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) | |
| | Dimethyl Benzyl Ammonium Chlorides | 0.125% |
| | Isopropyl Alcohol | 14.850% |

PHYSICAL PROPERTIES:

- | | |
|----------------------|--|
| • Appearance | White |
| • Physical State | Liquid. (absorbed liquid (wipes, pads, ...)) |
| • Odor | Alcohol like |
| • Wipe size LG | 6 x 6.75" (15.24 x 17.14 cm) |
| • Wipe size XL | 7.5 x 10" (19.68 x 25.4 cm) |
| • Product Shelf Life | 1 year from date of manufacture |

REGULATORY CLAIMS:

- EPA Reg. No. 9480-6-1677

MICROBIOLOGY:**Asepti-Wipe II is proven effective against:**

- | | |
|--|--|
| • <i>Pseudomonas aeruginosa</i> | • Human Immunodeficiency Virus Type 1 (AIDS virus) |
| • <i>Salmonella choleraesuis</i> | • <i>Mycobacterium bovis</i> BCG (Tuberculosis) |
| • <i>Staphylococcus aureus</i> | • Herpes Simplex virus Type 2 |
| • <i>Escherichia coli</i> (E. coli) 0157:H7 | • Influenza A2 / Hong Kong |
| • Methicillin Resistant
<i>Staphylococcus aureus</i> (MRSA) | • Respiratory Syncytial Virus (RSV) |
| • Vancomycin Resistant
<i>Enterococcus faecalis</i> (VRE) | • Hepatitis B Virus (HBV) |
| | • Hepatitis C Virus (HCV) |

ENVIRONMENTAL INFORMATION:

- | | | | | |
|-----------------|------------|----------|----------------|------------------------|
| • Hazard Rating | Health - 1 | Fire - 3 | Reactivity - 0 | Personal Protection -- |
|-----------------|------------|----------|----------------|------------------------|

PHYSICAL AND CHEMICAL HAZARD:

- Combustible. Do not use or store near heat or open flame. Do not use on natural marble, windows, unpainted wood, brass, clear plastic or colored grout.

STORAGE & DISPOSAL:

- **For Canisters: Storage:** Do not use or store near heat or open flame. When not in use keep center cap of lid closed to prevent moisture loss.
- **Towelette Disposal:** Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet.
- **Dispenser Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS:

- HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
- **CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

TRANSPORTATION INFORMATION:

	UN number	Proper Shipping Name	Class	Packaging Group	Additional Information
DOT Classification	Not Regulated.	--	--	--	--

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

PACKAGING & PRODUCT NUMBERS:

Size Available	Product Number
160 XL Wipes /Tub – 6 Tubs per case	61027330 - Not for Sale in Canada
180 Wipes /Tub – 12 Tubs per case	63306725 – Not for Sale in Canada
Asepti-Wipe II Wire wall mount rack	61439543

HEALTHCARE DIVISION

Ecolab Inc., 370 Wabasha Street N., St. Paul, MN 55102 U.S.A.
 In U.S.: 1-866-781-8787
www.ecolab.com

